

6390 Joyce Drive
100
Golden, CO 80403

Phone 303-940-0033
Fax 866-283-0269
www.wibby.com

December 21, 2011

Larry Lem
Calscience Environmental Laboratories, Inc.
7440 Lincoln Way
Garden Grove, CA 92841-1427
United States

Dear Larry,

Thank you for participating in the HW1011 Soil / Hazardous Waste PT Study. Enclosed is your final report, which has been carefully reviewed by the PT specialists at Wibby Environmental. This report presents some additional sections and features which will give you more information on the study data for the standards that were reported by your laboratory and more information regarding the overall performance of your laboratory in relation to other study participants.

The enclosed report is in two sections, the "Evaluation Report" and the "Statistical Report". The "Evaluation Report" contains the evaluation of your reported data as well the reported method, analysis date and analyst. The "Evaluation Report" is an updated and enhanced version of the reports you previously received at the conclusion of our PT studies. The "Statistical Report" contains your passing percentage as well as statistics from the study for the analytes reported by your laboratory.

For any analyte falling outside the established acceptance limits, our PT management staff would like to assist you in determining the most appropriate course of corrective action for your facility. Please contact us at any time if we may be of service to you.

Thank you again for participating in the HW1011 Soil / Hazardous Waste PT Study. We appreciate working with you and look forward to our next study. If you have any questions, please call me at 303-940-0033.

Sincerely,



Mark Mensik
QA Manager

Report Definitions:

NELAC Experimental Analytes

NELAC Experimental Analytes must be run twice a year. Due to the experimental nature of the acceptance limits, accreditation status is not based on the evaluation received.

Assigned Value

The Assigned Value is determined from the study mean, gravimetric and volumetric true concentration of an analyte to be analyzed, calculation and/or an appropriate reference value as stipulated in the EPA National Standards for Water Proficiency Testing Studies Criteria Document (current version), the National Environmental Laboratory Accreditation Conference (NELAC) criteria (ref: NELAC FOT tables, NELAC PT Committee) and other documents distributed by accrediting agencies as applicable.

Evaluation Limits

Acceptance Limits are derived from fixed limits, coefficients, constants and calculations stipulated in the EPA National Standards for Water Proficiency Testing Studies Criteria Documents (current version), the National Environmental Laboratory Accreditation Conference (NELAC) criteria (ref: NELAC PT FOT tables, NELAC PT Committee) and other documents distributed by accrediting agencies as applicable.

Evaluation

Acceptable

The reported value falls within the Acceptance Limits.

Not Acceptable

The reported value falls outside the Acceptance Limits.

No Evaluation

The reported value is non-numeric and can not be evaluated.

NR

As required by the NELAC standards and requested by state authorities, any analyte purchased but not reported by your facility is listed as NR (Not Reported).

Study Mean and Standard Deviation

The mean and standard deviation are calculated from the study data using robust statistical calculations when possible. Other statistical calculations may be used if robust statistical calculations are not possible. The displayed values are independent of any statistical calculations required for the calculation of the analyte evaluation limits.

6390 Joyce Drive
100
Golden, CO 80403

Phone 303-940-0033
Fax 866-283-0269
www.wibby.com

State Regulatory Agency Request(s):

Wibby Environmental has been authorized to send a copy of your HW1011 final results to the following state agencies:

AK, CA, CAELAP, FL, LA, NV, OR, TX and WA

Other Regulatory Agency Request(s):

No requests were made to send a copy of your HW1011 final results to an agency.

Third Party Request(s):

Wibby Environmental has been requested to send a copy of your HW1011 final results to the following third parties:

Perry Johnson Laboratory Accreditation, Inc.
755 West Big Beaver Road, Suite 1325
Troy, MI 48084
Tracy Szerszen
Tszerszen@pjlabs.com

Final Report - Soil / Hazardous Waste PT

Study: HW1011

Opening Date: October 17, 2011 - Closing Date: December 1, 2011

Laboratory: Calscience Environmental Laboratories, Inc.
7440 Lincoln Way
Garden Grove, CA 92841-1427
UNITED STATES

Contact: Larry Lem
714-895-5494

EPA Lab ID: CA00111

Ignitability (PT-ING-SOIL)										Lot #: 7046-82
NELAC Code	Analyte	Analysis Date	Analyst	Method Code	Method Description	Units	Assigned Value	Result	Acceptance Limits	Evaluation
Additional State Specific Analytes										
1780	Ignitability	11/19/2011		10117201	EPA 1030		YES	YES		Acceptable
8018	Burn Rate	11/19/2011		10117201	EPA 1030	mm/sec	8.29	7.14	4.73 - 11.9	Acceptable
Perchlorate (PT-PERC-SOIL)										Lot #: 7046-30
NELAC Code	Analyte	Analysis Date	Analyst	Method Code	Method Description	Units	Assigned Value	Result	Acceptance Limits	Evaluation
Additional State Specific Analytes										
1895	Perchlorate	11/11/2011		10277006	EPA 314.0	µg/kg	253	269	75.9 - 430	Acceptable
1895	Perchlorate	11/14/2011		10304606	EPA 6850	µg/kg	253	267	75.9 - 430	Acceptable
Total Sulfide (PT-S2T-SOIL)										Lot #: 7046-29
NELAC Code	Analyte	Analysis Date	Analyst	Method Code	Method Description	Units	Assigned Value	Result	Acceptance Limits	Evaluation
Additional State Specific Analytes										
2010	Total Sulfide	11/18/2011		10196006	EPA 9034	mg/kg	372	216	112 - 632	Acceptable
2010	Total Sulfide	11/18/2011		10074609	EPA 376.2 (M)	mg/kg	372	260	112 - 632	Acceptable

Final Report - Soil / Hazardous Waste PT

Study: HW1011

Opening Date: October 17, 2011 - Closing Date: December 1, 2011

Laboratory: Calscience Environmental Laboratories, Inc.
7440 Lincoln Way
Garden Grove, CA 92841-1427
UNITED STATES

Contact: Larry Lem
714-895-5494

EPA Lab ID: CA00111

Congeners (PT-CNG-SOIL) Lot #: 7046-80

NELAC Code	Analyte	Analysis Date	Analyst	Method Code	Method Description	Units	Assigned Value	Result	Acceptance Limits	Evaluation
Additional State Specific Analytes										
9256	2,4'-Dichlorobiphenyl (PCB 8)	11/9/2011		10242407	EPA 8270C SIM	µg/kg	<1.0	<1.00		Acceptable
9256	2,4'-Dichlorobiphenyl (PCB 8)	11/9/2011		10242509	EPA 8270D SIM	µg/kg	<1.0	<1.00		Acceptable
8930	2,2',5-Trichlorobiphenyl (PCB 18)	11/9/2011		10242407	EPA 8270C SIM	µg/kg	<1.0	<1.00		Acceptable
8930	2,2',5-Trichlorobiphenyl (PCB 18)	11/9/2011		10242509	EPA 8270D SIM	µg/kg	<1.0	<1.00		Acceptable
9252	2,4,4'-Trichlorobiphenyl (PCB 28)	11/9/2011		10242407	EPA 8270C SIM	µg/kg	8.00	6.60	3.20 - 12.8	Acceptable
9252	2,4,4'-Trichlorobiphenyl (PCB 28)	11/9/2011		10242509	EPA 8270D SIM	µg/kg	8.00	6.60	3.20 - 12.8	Acceptable
8945	2,2',3,5'-Tetrachlorobiphenyl (PCB 44)	11/9/2011		10242407	EPA 8270C SIM	µg/kg	<1.0	<1.00		Acceptable
8945	2,2',3,5'-Tetrachlorobiphenyl (PCB 44)	11/9/2011		10242509	EPA 8270D SIM	µg/kg	<1.0	<1.00		Acceptable
8955	2,2',5,5'-Tetrachlorobiphenyl (PCB 52)	11/9/2011		10242407	EPA 8270C SIM	µg/kg	14.7	11.6	5.89 - 23.6	Acceptable
8955	2,2',5,5'-Tetrachlorobiphenyl (PCB 52)	11/9/2011		10242509	EPA 8270D SIM	µg/kg	14.7	11.6	5.89 - 23.6	Acceptable
8960	2,3',4,4'-Tetrachlorobiphenyl (PCB 66)	11/9/2011		10242407	EPA 8270C SIM	µg/kg	<1.0	<1.00		Acceptable
8960	2,3',4,4'-Tetrachlorobiphenyl (PCB 66)	11/9/2011		10242509	EPA 8270D SIM	µg/kg	<1.0	<1.00		Acceptable
8965	3,3',4,4'-Tetrachlorobiphenyl (PCB 77)	11/9/2011		10242407	EPA 8270C SIM	µg/kg	<1.0	<1.00		Acceptable
8965	3,3',4,4'-Tetrachlorobiphenyl (PCB 77)	11/9/2011		10242509	EPA 8270D SIM	µg/kg	<1.0	<1.00		Acceptable
8970	3,4,4',5-Tetrachlorobiphenyl (PCB 81)	11/9/2011		10242407	EPA 8270C SIM	µg/kg	21.4	16.8	8.58 - 34.3	Acceptable
8970	3,4,4',5-Tetrachlorobiphenyl (PCB 81)	11/9/2011		10242509	EPA 8270D SIM	µg/kg	21.4	16.8	8.58 - 34.3	Acceptable
8980	2,2',4,5,5'-Pentachlorobiphenyl (PCB 101)	11/9/2011		10242407	EPA 8270C SIM	µg/kg	26.4	21.5	10.6 - 42.2	Acceptable
8980	2,2',4,5,5'-Pentachlorobiphenyl (PCB 101)	11/9/2011		10242509	EPA 8270D SIM	µg/kg	26.4	21.5	10.6 - 42.2	Acceptable
8985	2,3,3',4,4'-Pentachlorobiphenyl (PCB 105)	11/9/2011		10242407	EPA 8270C SIM	µg/kg	35.8	29.3	14.3 - 57.2	Acceptable
8985	2,3,3',4,4'-Pentachlorobiphenyl (PCB 105)	11/9/2011		10242509	EPA 8270D SIM	µg/kg	35.8	29.3	14.3 - 57.2	Acceptable
9005	2,3,4,4',5-Pentachlorobiphenyl (PCB 114)	11/9/2011		10242407	EPA 8270C SIM	µg/kg	<1.0	<1.00		Acceptable
9005	2,3,4,4',5-Pentachlorobiphenyl (PCB 114)	11/9/2011		10242509	EPA 8270D SIM	µg/kg	<1.0	<1.00		Acceptable
8995	2,3',4,4',5-Pentachlorobiphenyl (PCB 118)	11/9/2011		10242407	EPA 8270C SIM	µg/kg	<1.0	<1.00		Acceptable
8995	2,3',4,4',5-Pentachlorobiphenyl (PCB 118)	11/9/2011		10242509	EPA 8270D SIM	µg/kg	<1.0	<1.00		Acceptable
9011	2,3',4,4',5'-Pentachlorobiphenyl (PCB 123)	11/9/2011		10242407	EPA 8270C SIM	µg/kg	8.80	7.40	3.52 - 14.1	Acceptable
9011	2,3',4,4',5'-Pentachlorobiphenyl (PCB 123)	11/9/2011		10242509	EPA 8270D SIM	µg/kg	8.80	7.40	3.52 - 14.1	Acceptable
9015	3,3',4,4',5-Pentachlorobiphenyl (PCB 126)	11/9/2011		10242407	EPA 8270C SIM	µg/kg	<1.0	<1.00		Acceptable
9015	3,3',4,4',5-Pentachlorobiphenyl (PCB 126)	11/9/2011		10242509	EPA 8270D SIM	µg/kg	<1.0	<1.00		Acceptable

Final Report - Soil / Hazardous Waste PT

Study: HW1011

Opening Date: October 17, 2011 - Closing Date: December 1, 2011

Laboratory: Calscience Environmental Laboratories, Inc.
7440 Lincoln Way
Garden Grove, CA 92841-1427
UNITED STATES

Contact: Larry Lem
714-895-5494

EPA Lab ID: CA00111

Congeners (PT-CNG-SOIL) cont'd

Lot #: 7046-80

NELAC Code	Analyte	Analysis Date	Analyst	Method Code	Method Description	Units	Assigned Value	Result	Acceptance Limits	Evaluation
Additional State Specific Analytes cont'd										
9020	2,2',3,3',4,4'-Hexachlorobiphenyl (PCB 128)	11/9/2011		10242407	EPA 8270C SIM	µg/kg	<1.0	<1.00		Acceptable
9020	2,2',3,3',4,4'-Hexachlorobiphenyl (PCB 128)	11/9/2011		10242509	EPA 8270D SIM	µg/kg	<1.0	<1.00		Acceptable
9025	2,2',3,4,4',5'-Hexachlorobiphenyl (PCB 138)	11/9/2011		10242407	EPA 8270C SIM	µg/kg	16.0	10.9	6.40 - 25.6	Acceptable
9025	2,2',3,4,4',5'-Hexachlorobiphenyl (PCB 138)	11/9/2011		10242509	EPA 8270D SIM	µg/kg	16.0	10.9	6.40 - 25.6	Acceptable
9040	2,2',4,4',5,5'-Hexachlorobiphenyl (PCB 153)	11/9/2011		10242407	EPA 8270C SIM	µg/kg	<1.0	<1.00		Acceptable
9040	2,2',4,4',5,5'-Hexachlorobiphenyl (PCB 153)	11/9/2011		10242509	EPA 8270D SIM	µg/kg	<1.0	<1.00		Acceptable
9050	2,3,3',4,4',5'-Hexachlorobiphenyl (PCB 156)	11/9/2011		10242407	EPA 8270C SIM	µg/kg	<1.0	<1.00		Acceptable
9050	2,3,3',4,4',5'-Hexachlorobiphenyl (PCB 156)	11/9/2011		10242509	EPA 8270D SIM	µg/kg	<1.0	<1.00		Acceptable
9045	2,3,3',4,4',5'-Hexachlorobiphenyl (PCB 157)	11/9/2011		10242407	EPA 8270C SIM	µg/kg	6.72	5.40	2.69 - 10.8	Acceptable
9045	2,3,3',4,4',5'-Hexachlorobiphenyl (PCB 157)	11/9/2011		10242509	EPA 8270D SIM	µg/kg	6.72	5.40	2.69 - 10.8	Acceptable
9055	2,3',4,4',5,5'-Hexachlorobiphenyl (PCB 167)	11/9/2011		10242407	EPA 8270C SIM	µg/kg	<1.0	<1.00		Acceptable
9055	2,3',4,4',5,5'-Hexachlorobiphenyl (PCB 167)	11/9/2011		10242509	EPA 8270D SIM	µg/kg	<1.0	<1.00		Acceptable
9060	3,3',4,4',5,5'-Hexachlorobiphenyl (PCB 169)	11/9/2011		10242407	EPA 8270C SIM	µg/kg	19.7	12.0	7.87 - 31.5	Acceptable
9060	3,3',4,4',5,5'-Hexachlorobiphenyl (PCB 169)	11/9/2011		10242509	EPA 8270D SIM	µg/kg	19.7	12.0	7.87 - 31.5	Acceptable
9065	2,2',3,3',4,4',5-Heptachlorobiphenyl (PCB 170)	11/9/2011		10242407	EPA 8270C SIM	µg/kg	<1.0	<1.00		Acceptable
9065	2,2',3,3',4,4',5-Heptachlorobiphenyl (PCB 170)	11/9/2011		10242509	EPA 8270D SIM	µg/kg	<1.0	<1.00		Acceptable
9070	2,2',3,4,4',5,5'-Heptachlorobiphenyl (PCB 180)	11/9/2011		10242407	EPA 8270C SIM	µg/kg	1.76	1.40	0.704 - 2.82	Acceptable
9070	2,2',3,4,4',5,5'-Heptachlorobiphenyl (PCB 180)	11/9/2011		10242509	EPA 8270D SIM	µg/kg	1.76	1.40	0.704 - 2.82	Acceptable

6390 Joyce Drive
100
Golden, CO 80403

Phone 303-940-0033
Fax 866-283-0269
www.wibby.com

Final Report - Soil / Hazardous Waste PT

Study: HW1011

Opening Date: October 17, 2011 - Closing Date: December 1, 2011

Laboratory: Calscience Environmental Laboratories, Inc.
7440 Lincoln Way
Garden Grove, CA 92841-1427
UNITED STATES

Contact: Larry Lem
714-895-5494

EPA Lab ID: CA00111

Congeners (PT-CNG-SOIL) cont'd

Lot #: 7046-80

NELAC Code	Analyte	Analysis Date	Analyst	Method Code	Method Description	Units	Assigned Value	Result	Acceptance Limits	Evaluation
Additional State Specific Analytes cont'd										
9080	2,2',3,4',5,5',6-Heptachlorobiphenyl (PCB 187)	11/9/2011		10242407	EPA 8270C SIM	µg/kg	<1.0	<1.00		Acceptable
9080	2,2',3,4',5,5',6-Heptachlorobiphenyl (PCB 187)	11/9/2011		10242509	EPA 8270D SIM	µg/kg	<1.0	<1.00		Acceptable
9085	2,3,3',4,4',5,5'-Heptachlorobiphenyl (PCB 189)	11/9/2011		10242407	EPA 8270C SIM	µg/kg	4.08	3.10	1.63 - 6.53	Acceptable
9085	2,3,3',4,4',5,5'-Heptachlorobiphenyl (PCB 189)	11/9/2011		10242509	EPA 8270D SIM	µg/kg	4.08	3.10	1.63 - 6.53	Acceptable
9103	2,2',3,3',4,4',5,6-Octachlorobiphenyl (PCB 195)	11/9/2011		10242407	EPA 8270C SIM	µg/kg	<1.0	<1.00		Acceptable
9103	2,2',3,3',4,4',5,6-Octachlorobiphenyl (PCB 195)	11/9/2011		10242509	EPA 8270D SIM	µg/kg	<1.0	<1.00		Acceptable
9095	2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl (PCB 206)	11/9/2011		10242407	EPA 8270C SIM	µg/kg	<1.0	<1.00		Acceptable
9095	2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl (PCB 206)	11/9/2011		10242509	EPA 8270D SIM	µg/kg	<1.0	<1.00		Acceptable
9105	Decachlorobiphenyl (PCB 209)	11/9/2011		10242407	EPA 8270C SIM	µg/kg	<1.0	<1.00		Acceptable
9105	Decachlorobiphenyl (PCB 209)	11/9/2011		10242509	EPA 8270D SIM	µg/kg	<1.0	<1.00		Acceptable
8870	Total PCBs	11/9/2011		10242407	EPA 8270C SIM	µg/kg	163	126	65.3 - 261	Acceptable
8870	Total PCBs	11/9/2011		10242509	EPA 8270D SIM	µg/kg	163	126	65.3 - 261	Acceptable

6390 Joyce Drive
100
Golden, CO 80403

Phone 303-940-0033
Fax 866-283-0269
www.wibby.com

PT Study Score Report

EPA ID: CA00111
Laboratory: Calscience Environmental Laboratories, Inc.
7440 Lincoln Way
Garden Grove, CA 92841-1427
United States

Study Number	Number of Reported Results	Number of Passing Results	Percent Passing
HW1011	64	64	100%

Report Definitions:

- Number of Reported Results** The number of results reported which could be evaluated. Results receiving an evaluation of "NR" or "No Evaluation" are not included.
- Number of Passing Results** The number of results reported receiving an evaluation of "Acceptable" or "Check for Error".
- Percent Passing** The percentage of results reported receiving an evaluation of "Acceptable" or "Check for Error".

6390 Joyce Drive
100
Golden, CO 80403

Phone 303-940-0033
Fax 866-283-0269
www.wibby.com

Statistical Summary Report - Soil / Hazardous Waste PT

Study: HW1011

Opening Date: October 17, 2011 - Closing Date: December 1, 2011

Laboratory: Calscience Environmental Laboratories, Inc.
7440 Lincoln Way
Garden Grove, CA 92841-1427
UNITED STATES

Contact: Larry Lem
714-895-5494

EPA Lab ID: CA00111

Ignitability (PT-ING-SOIL) Lot #: 7046-82						
NELAC Code	Analyte	Units	Study Mean	Study Standard Deviation	Low Acceptance Limit %	High Acceptance Limit %
Additional State Specific Analytes						
1780	Ignitability		N/A	N/A	N/A	N/A
8018	Burn Rate	mm/sec	8.29	1.68	57.1	144
Perchlorate (PT-PERC-SOIL) Lot #: 7046-30						
NELAC Code	Analyte	Units	Study Mean	Study Standard Deviation	Low Acceptance Limit %	High Acceptance Limit %
Additional State Specific Analytes						
1895	Perchlorate	µg/kg	253	96.8	30.0	170
Total Sulfide (PT-S2T-SOIL) Lot #: 7046-29						
NELAC Code	Analyte	Units	Study Mean	Study Standard Deviation	Low Acceptance Limit %	High Acceptance Limit %
Additional State Specific Analytes						
2010	Total Sulfide	mg/kg	268	58.5	30.1	170

6390 Joyce Drive
100
Golden, CO 80403

Phone 303-940-0033
Fax 866-283-0269
www.wibby.com

Statistical Summary Report - Soil / Hazardous Waste PT

Study: HW1011

Opening Date: October 17, 2011 - Closing Date: December 1, 2011

Laboratory: Calscience Environmental Laboratories, Inc.
7440 Lincoln Way
Garden Grove, CA 92841-1427
UNITED STATES

Contact: Larry Lem
714-895-5494

EPA Lab ID: CA00111

Congeners (PT-CNG-SOIL) Lot #: 7046-80

NELAC Code	Analyte	Units	Study Mean	Study Standard Deviation	Low Acceptance Limit %	High Acceptance Limit %
Additional State Specific Analytes						
9256	2,4'-Dichlorobiphenyl (PCB 8)	µg/kg	N/A	N/A	N/A	N/A
8930	2,2',5'-Trichlorobiphenyl (PCB 18)	µg/kg	N/A	N/A	N/A	N/A
9252	2,4,4'-Trichlorobiphenyl (PCB 28)	µg/kg	6.62	0.0404	40.0	160
8945	2,2',3,5'-Tetrachlorobiphenyl (PCB 44)	µg/kg	N/A	N/A	N/A	N/A
8955	2,2',5,5'-Tetrachlorobiphenyl (PCB 52)	µg/kg	11.2	0.693	40.1	161
8960	2,3',4,4'-Tetrachlorobiphenyl (PCB 66)	µg/kg	N/A	N/A	N/A	N/A
8965	3,3',4,4'-Tetrachlorobiphenyl (PCB 77)	µg/kg	N/A	N/A	N/A	N/A
8970	3,4,4',5'-Tetrachlorobiphenyl (PCB 81)	µg/kg	15.3	2.66	40.1	160
8980	2,2',4,5,5'-Pentachlorobiphenyl (PCB 101)	µg/kg	20.0	2.54	40.2	160
8985	2,3,3',4,4'-Pentachlorobiphenyl (PCB 105)	µg/kg	27.4	3.29	39.9	160
9005	2,3,4,4',5'-Pentachlorobiphenyl (PCB 114)	µg/kg	N/A	N/A	N/A	N/A
8995	2,3',4,4',5'-Pentachlorobiphenyl (PCB 118)	µg/kg	N/A	N/A	N/A	N/A
9011	2,3',4,4',5'-Pentachlorobiphenyl (PCB 123)	µg/kg	7.30	0.167	40.0	160
9015	3,3',4,4',5'-Pentachlorobiphenyl (PCB 126)	µg/kg	N/A	N/A	N/A	N/A
9020	2,2',3,3',4,4'-Hexachlorobiphenyl (PCB 128)	µg/kg	N/A	N/A	N/A	N/A
9025	2,2',3,4,4',5'-Hexachlorobiphenyl (PCB 138)	µg/kg	11.0	0.173	40.0	160
9040	2,2',4,4',5,5'-Hexachlorobiphenyl (PCB 153)	µg/kg	N/A	N/A	N/A	N/A
9050	2,3,3',4,4',5'-Hexachlorobiphenyl (PCB 156)	µg/kg	N/A	N/A	N/A	N/A
9045	2,3,3',4,4',5'-Hexachlorobiphenyl (PCB 157)	µg/kg	5.09	0.531	40.0	161
9055	2,3',4,4',5,5'-Hexachlorobiphenyl (PCB 167)	µg/kg	N/A	N/A	N/A	N/A
9060	3,3',4,4',5,5'-Hexachlorobiphenyl (PCB 169)	µg/kg	12.3	0.462	39.9	160
9065	2,2',3,3',4,4',5'-Heptachlorobiphenyl (PCB 170)	µg/kg	N/A	N/A	N/A	N/A
9070	2,2',3,4,4',5,5'-Heptachlorobiphenyl (PCB 180)	µg/kg	1.45	0.0808	40.0	160
9080	2,2',3,4',5,5',6'-Heptachlorobiphenyl (PCB 187)	µg/kg	N/A	N/A	N/A	N/A
9085	2,3,3',4,4',5,5'-Heptachlorobiphenyl (PCB 189)	µg/kg	3.12	0.0346	40.0	160
9103	2,2',3,3',4,4',5,6'-Octachlorobiphenyl (PCB 195)	µg/kg	N/A	N/A	N/A	N/A
9095	2,2',3,3',4,4',5,5',6'-Nonachlorobiphenyl (PCB 206)	µg/kg	N/A	N/A	N/A	N/A
9105	Decachlorobiphenyl (PCB 209)	µg/kg	N/A	N/A	N/A	N/A
8870	Total PCBs	µg/kg	126	0.00	40.1	160